

Publication

Diffusion-weighted imaging findings differ between stroke attributable to spontaneous cervical artery dissection and patent foramen ovale

JournalArticle (Originalarbeit in einer wissenschaftlichen Zeitschrift)

ID 1194955

Author(s) Bonati, L H; Wetzel, S G; Kessel-Schaefer, A; Buser, P; Lyrer, P A; Engelter, S T

Author(s) at UniBasel [Lyrer, Philippe A.](#) ; [Wetzel, Stephan G.](#) ; [Engelter, Stefan](#) ;

Year 2010

Title Diffusion-weighted imaging findings differ between stroke attributable to spontaneous cervical artery dissection and patent foramen ovale

Journal European journal of neurology

Volume 17

Number 2

Pages / Article-Number 307-13

Keywords cervical artery dissection, DWI, patent foramen ovale, stroke

Spontaneous cervical arterial dissection and patent foramen ovale (PFO) are important causes of stroke in younger patients. We tested whether characteristics of cerebral ischaemia visible on diffusion-weighted imaging (DWI) aid in differentiating between these two aetiologies.

Publisher Blackwell

ISSN/ISBN 1351-5101

edoc-URL <http://edoc.unibas.ch/dok/A6005149>

Full Text on edoc No;

Digital Object Identifier DOI 10.1111/j.1468-1331.2009.02805.x

PubMed ID <http://www.ncbi.nlm.nih.gov/pubmed/19863648>

ISI-Number WOS:000273633000025

Document type (ISI) Journal Article