



Universität
Basel

Publication

Outcome of intravenous thrombolysis in stroke patients weighing over 100 kg

JournalArticle (Originalarbeit in einer wissenschaftlichen Zeitschrift)

ID 1196923

Author(s) Sarikaya, H.; Arnold, M.; Engelter, S. T.; Lyrer, P. A.; Mattle, H. P.; Michel, P.; Odier, C.; Weder, B.; Siebel, P.; Mueller, F.; Ballinari, P.; Georgiadis, D.; Baumgartner, R. W.

Author(s) at UniBasel [Engelter, Stefan](#) ;

Year 2011

Title Outcome of intravenous thrombolysis in stroke patients weighing over 100 kg

Journal Cerebrovascular Diseases

Volume 32

Number 3

Pages / Article-Number 201-206

Keywords Ischemic stroke, Tissue plasminogen activator, Overweight, Clinical outcome

Intravenous thrombolysis with alteplase for ischemic stroke is fixed at a maximal dose of 90 mg for safety reasons. Little is known about the clinical outcomes of stroke patients weighing <100 kg, who may benefit less from thrombolysis due to this dose limitation.

Publisher Karger

ISSN/ISBN 1015-9770 ; 1421-9786

edoc-URL <http://edoc.unibas.ch/dok/A6007083>

Full Text on edoc Available;

Digital Object Identifier DOI 10.1159/000328813

ISI-Number WOS:000299641800001

Document type (ISI) Article